

**STATE OF MICHIGAN
MICHIGAN ADMINISTRATIVE HEARING SYSTEM
FOR THE DEPARTMENT OF COMMUNITY HEALTH**

P.O. Box 30763, Lansing, MI 48909
(877) 833-0870; Fax: (517) 334-9505

IN THE MATTER OF:

Docket No. 2011-51881PA
Case No. [REDACTED]

[REDACTED]

Appellant

_____ /

DECISION AND ORDER

This matter is before the undersigned Administrative Law Judge pursuant to MCL 400.9 and 42 CFR 431.200 *et seq.*, upon the Appellant's request for a hearing.

After due notice, a hearing was held on [REDACTED], mother, appeared as the Appellant's representative. [REDACTED], R.N. Analyst, represented the Department.

ISSUE

Did the Department properly deny the Appellant's prior authorization request for a Convoid EZ Rider Stroller with accessories?

FINDINGS OF FACT

The Administrative Law Judge, based upon the competent, material and substantial evidence on the whole record, finds as material fact:

1. The Appellant is a [REDACTED]-year old Medicaid beneficiary who has been diagnosed with muscle/ligament disease, hypotonia and difficulty walking. (Exhibit 1, pages 6-7)
2. On [REDACTED], the Department received a prior approval-request for a Convoid EZ Rider with accessories for the Appellant. The submitted documentation indicated that Appellant is [REDACTED] years old, [REDACTED], weighs [REDACTED], is beginning gait training and has bilateral solid AFOs. The request stated that the Appellant will be attending school in the fall, tie downs will be needed for the school bus, and the requested stroller is needed for transportation only. No specific information, such as brands or models, was provided regarding commercial alternatives that have been ruled out. (Exhibit 1, pages 6-15)
3. On [REDACTED], the Department denied the prior authorization request

because medical necessity was not substantiated. (Exhibit 1, pages 4-5)

4. On ██████████, the Michigan Administrative Hearing System received the hearing request filed on the Appellant's behalf. (Exhibit 1, page 3)

CONCLUSIONS OF LAW

The Medical Assistance Program is established pursuant to Title XIX of the Social Security Act and is implemented by Title 42 of the Code of Federal Regulations (CFR). It is administered in accordance with state statute, the Social Welfare Act, the Administrative Code, and the State Plan under Title XIX of the Social Security Act Medical Assistance Program.

The Medicaid Provider Manual provides, in pertinent part, as follows:

1.5 MEDICAL NECESSITY

Medical devices are covered if they are the most cost-effective treatment available and meet the Standards of Coverage stated in the Coverage Conditions and Requirements Section of this chapter.

The medical record must contain sufficient documentation of the beneficiary's medical condition to substantiate the necessity for the type and quantity of items ordered and for the frequency of use or replacement. The information should include the beneficiary's diagnosis, medical condition, and other pertinent information including, but not limited to, duration of the condition, clinical course, prognosis, nature and extent of functional limitations, other therapeutic interventions and results, and past experience with related items. Neither a physician's order nor a certificate of medical necessity by itself provides sufficient documentation of medical necessity, even though it is signed by the treating physician. Information in the medical record must support the item's medical necessity and substantiate that the medical device needed is the most appropriate economic alternative that meets MDCH standards of coverage.

Medical equipment may be determined to be medically necessary when all of the following apply:

- Within applicable federal and state laws, rules, regulations, and MDCH promulgated policies.

- Medically appropriate and necessary to treat a specific medical diagnosis or medical condition, or functional need, and is an integral part of the nursing facility daily plan of care or is required for the community residential setting.
- Within accepted medical standards; practice guidelines related to type, frequency, and duration of treatment; and within scope of current medical practice.
- Inappropriate to use a nonmedical item.
- The most cost effective treatment available.
- It is ordered by the treating physician, and clinical documentation from the medical record supports the medical necessity for the request (as described above) and substantiates the physician's order.
- It meets the standards of coverage published by MDCH.
- It meets the definition of Durable Medical Equipment (DME), as defined in the Program Overview section of this chapter.
- Its use meets FDA and manufacturer indications.

* * *

2.47 WHEELCHAIRS, PEDIATRIC MOBILITY AND POSITIONING MEDICAL DEVICES, AND SEATING SYSTEMS

2.47.A. DEFINITIONS

Wheelchair

A wheelchair has special construction consisting of a frame and wheels with many different options and includes, but is not limited to, standard, light-weight, high-strength, powered, etc.

Pediatric Mobility Product

Pediatric mobility products are pediatric-sized mobility and positioning medical devices (as defined by PDAC) that have a special light-weight construction consisting of a frame and wheels/base with many different options. Pediatric mobility devices include pediatric wheelchairs, transport chairs, hi/low chairs with outdoor/indoor bases, and standing systems designed specifically for children with special needs. These products must meet the definition of Durable Medical Equipment (DME) (refer to the Program Overview section of this chapter) and are not available as a commercial product or

for which a commercial product can be used as an economic alternative.

Licensed/Certified Medical Professional

A licensed/certified medical professional is defined as an occupational or physical therapist or a rehabilitation RN who has at least two years' experience in rehabilitation seating and is not an employee of the medical supplier.

Medicaid policy requires that assessments must be performed by a licensed/certified medical professional. A physical therapy assistant (PTA) or a certified occupational therapy assistant (COTA) may not perform any part of the assessment or evaluation and may not complete or sign the MSA-1656.

Pediatric Subspecialist

A pediatric subspecialist is a physician who is board-certified in a pediatric subspecialty (such as a physiatrist, neurologist, or orthopedist). A pediatrician is not considered a pediatric subspecialist relative to this policy.

Institutional Residential Setting

An institutional residential setting refers to a nursing facility, hospital long-term care unit, or county medical care facility.

Community Residential Setting

A community residential setting is defined as a non-institutional setting in the community, i.e., beneficiary's own home, Adult Foster Care (AFC), Assisted Living or Group Home.

2.47.B. STANDARDS OF COVERAGE

Manual Wheelchair in Community Residential Setting

May be covered if **all** of the following are met:

- Has a diagnosis/medical condition that indicates a lack of functional ambulatory status and ambulates less than 150 feet within one minute with or without an assistive medical device.
- Must be able to regularly use the wheelchair throughout the day.
- Must be able to be positioned in the chair safely and without aggravating any medical condition or causing injury.

- Purchase of a wheelchair is required for long-term use (greater than 10 months).
- Must have a method to propel wheelchair, which may include:
 - Ability to self-propel for at least 60 feet over hard, smooth, or carpeted surfaces.
 - The beneficiary has a willing and able caregiver to push the chair if needed.

In addition:

A **standard hemi-wheelchair** may be covered when a lower seat to the floor is required.

A **standard light-weight wheelchair** may be covered when the beneficiary is unable to propel a standard wheelchair due to decreased upper extremity strength or secondary to a medical condition that affects endurance.

A **heavy-duty standard wheelchair** may be covered if the beneficiary's weight is more than 250 pounds but does not exceed 300 pounds.

An **extra heavy-duty standard wheelchair** is covered if the beneficiary's weight exceeds 300 pounds.

A **high-strength light-weight or ultra-light standard wheelchair** may be covered when required for a specific functional need.

A **back-up or secondary standard manual wheelchair** may be considered when:

- The beneficiary is primarily a power wheelchair user but needs a manual wheelchair to have access to the community or independent living.
- The beneficiary's medical condition requires a power wheelchair that cannot accommodate public transportation and, therefore, requires another transport device.

Manual Wheelchair in Institutional Residential Setting

Coverage and reimbursement for all standard manual wheelchairs for an institutional residential setting is included in the per diem rate.

Manual Wheelchair with Custom- Fabricated Seating System in both Community Residential and Institutional Residential Settings

May be covered if **all** of the following are met, in addition to the Standards of Coverage listed under Manual Wheelchair in Community Residential Setting:

- Medical documentation provides a clinical assessment of the specific functional/clinical need for a custom-fabricated seating system. Documentation must specifically rule out other standard seating systems. The seating system must also meet standards of coverage.
- Must accommodate growth and adjustments for custom-fabricated seating systems a minimum of 3" in depth and 2" in width.
- Is an integral part of the care regimen in the community residential setting or the daily nursing plan of care in an institutional residential setting.

Power Wheelchair or Power-Operated Vehicle (POV) in Both Community Residential and Institutional Residential Settings

May be covered if the beneficiary meets **all** of the following:

- Lacks ability to propel a manual wheelchair, or has a medical condition that would be compromised by propelling a manual wheelchair, for at least 60 feet over hard, smooth, or carpeted surfaces with or without rest intervals.
- Requires use of a wheelchair for at least four hours throughout the day.
- Is able to safely operate, control and maneuver the wheelchair in their environmental setting, including through doorways and over thresholds up to 1½", as appropriate.
- Has a cognitive, functional level that permits safe operation of a power mobility device with or without training.
- Has visual acuity that permits safe operation of a power mobility device.
- For a three-wheeled power mobility device, has sufficient trunk control and balance.

Pediatric Mobility Devices and Wheelchairs

May be covered if **all** of the following are met for each type of device. For CSHCS beneficiaries, a medical referral from an appropriate board-certified pediatric subspecialist or an Office of Medical Affairs (OMA)-approved physician is required. MDCH also reserves the right to require a medical referral from an appropriate board-certified pediatric subspecialist for Medicaid beneficiaries.

For manual pediatric wheelchairs:

- Has a diagnosis/medical condition that indicates a lack of functional ambulatory status with or without an assistive medical device or has a willing and able caregiver to push the chair **and** the wheelchair is required in a community residential setting.
- Is required for long-term use (greater than 10 months).
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.
- Is designed to be transportable.
- Is the most economic alternative available to meet the beneficiary's mobility needs.

For power wheelchairs:

- Lacks ability to propel a manual wheelchair, or has a medical condition that would be compromised by propelling a manual wheelchair, for at least 60 feet over hard, smooth, or carpeted surfaces (this includes the need to rest at intervals).
- Is able to safely control the wheelchair through doorways and over thresholds up to 1½".
- Has a cognitive, functional level that is adequate for power wheelchair mobility.
- Has visual acuity that permits safe operation of a power mobility device.
- Must accommodate growth and adjustments for custom-fabricated seating systems a minimum of 3" in depth and 2" in width.
- For a three-wheeled power mobility device, has sufficient trunk control and balance.

For transport mobility medical devices (e.g., strollers):

- Is over three years of age or has a medical condition that cannot be accommodated by commercial products.

- Will be the primary mobility device due to inability to self-propel a manual wheelchair or operate a power wheelchair.
- Is required as a transport device when the primary wheelchair cannot be designed to be transportable.
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.
- Is the most economic alternative available to meet the beneficiary's mobility needs.
- Is required for use in the community residential setting.

For pediatric standing systems with or without wheels:

- Is able to utilize the product without being compromised medically or functionally.
- Has a plan of care that documents how the standing system will be used in the community residential setting.
- Documentation addresses economic alternatives, including dynamic vs. nondynamic factors.
- Other economic alternatives have been ineffective.
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.

For CSHCS beneficiaries, a medical referral from an appropriate board-certified pediatric subspecialist or an Office of Medical Affairs (OMA)-approved physician is required. MDCH also reserves the right to require a medical referral from an appropriate board-certified pediatric subspecialist for Medicaid beneficiaries.

For pediatric hi/low chairs:

- Positioning cannot be accommodated by use of other mobility devices or commercial products.
- Is required for independent transfers.
- All mobility products with interchangeable bases and seating systems have been ruled out as economic alternatives.
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.

Wheelchair Accessories

Reimbursement may be made for separate wheelchair accessories that have designated HCPCS codes. Separate

reimbursement may be considered for specific wheelchair accessory codes when provided in conjunction with the purchase of a manual wheelchair, power wheelchair, or an addition to an existing wheelchair if:

- It is required to provide safety.
- It is required for appropriate positioning.
- It is the most economic alternative.

For additions to an existing wheelchair, the physician or the occupational or physical therapist must address the status/condition of the current wheelchair and include the brand, model, serial number, and age of the current wheelchair. If MDCH did not purchase the wheelchair being modified, all documentation requirements must be provided as if the request is for a new or initial wheelchair. Refer to the Non-Covered Items section of this chapter for information on accessories that are not covered.

MDCH Medicaid Provider Manual,
Medical Supplier Section
July 1, 2011, pages 4-5 and 81-87.

In the present case, the Department denied the Convaid EZ Rider Stroller with accessories because medical necessity was not established. The submitted documentation indicated that Appellant is ██████████, is beginning gait training and has bilateral solid AFOs. The request stated that the Appellant will be attending school in the fall, tie downs will be needed for the school bus, and the requested stroller is needed for transportation only. (Exhibit 1, pages 7-15) The assessment noted that commercially available strollers will not accommodate the Appellant's size, but no specific information regarding any brands/models that have been ruled out was provided. (Exhibit 1, page 13) The R.N. Analyst explained that this was not sufficient to establish medical necessity for a pediatric mobility device or wheelchair.

The Appellant's mother disagrees with the denial and testified that the Appellant is bigger now, about ██████ pounds, and the stroller they currently have is too small. The Appellant's mother testified that the orthotics are no longer used because they make the Appellant's knees worse, and the requested stroller would be used for more than transporting the Appellant to school. (Mother Testimony)

Based on the documentation submitted, the Appellant did not meet the Medicaid standards of coverage for a pediatric mobility device, transport mobility medical device (e.g. stroller). This does not mean that the Appellant would not benefit from a stroller or that he is not deserving of it, but only that the Medicaid policy does not allow for

Docket No. 2011-51881 PA
Decision and Order

coverage based on the submitted documentation. Accordingly, the Department's denial must be upheld.

As the RN Analyst explained during the hearing proceedings, the Appellant may wish to have the prior authorization request re-submitted with an addendum or other additional documentation clarifying that the orthotics are not being used, the requested stroller would be needed for more than transportation, describing any positioning issues and providing more specific information ruling out commercial alternatives.

DECISION AND ORDER

The Administrative Law Judge, based on the above findings of fact and conclusions of law, decides that the Department properly denied the Appellant's request for a Convaid EZ Rider Stroller with accessories based on the submitted documentation.

IT IS THEREFORE ORDERED that:

The Department's decision is **AFFIRMED**.

Colleen Lack
Administrative Law Judge
for Olga Dazzo, Director
Michigan Department of Community Health

cc:

Date Mailed: 11/22/2011

***** NOTICE *****

The Michigan Administrative Hearing System may order a rehearing on either its own motion or at the request of a party within 30 days of the mailing date of this Decision and Order. The Michigan Administrative Hearing System will not order a rehearing on the Department's motion where the final decision or rehearing cannot be implemented within 90 days of the filing of the original request. The Appellant may appeal the Decision and Order to Circuit Court within 30 days of the receipt of the Decision and Order or, if a timely request for rehearing was made, within 30 days of the receipt of the rehearing decision.