

**STATE OF MICHIGAN**  
**MICHIGAN ADMINISTRATIVE HEARING SYSTEM**  
**FOR THE DEPARTMENT OF COMMUNITY HEALTH**  
P.O. Box 30763, Lansing, MI 48909  
(877) 833-0870; Fax: (517) 334-9505

IN THE MATTER OF:

Docket No. 2011-14845 PA  
Case No. 1001662020

██████████

Appellant

\_\_\_\_\_ /

**DECISION AND ORDER**

This matter is before the undersigned Administrative Law Judge pursuant to MCL 400.9 and 42 CFR 431.200 *et seq.*, upon the Appellant's request for a hearing.

After due notice, a hearing was held on ██████████. ██████████, appeared as the Appellant's representative. ██████████, appeared as a witness for the Appellant. ██████████, represented the Department.

**ISSUE**

Did the Department properly deny the Appellant's prior authorization request for a pediatric mobility device with accessories?

**FINDINGS OF FACT**

The Administrative Law Judge, based upon the competent, material and substantial evidence on the whole record, finds as material fact:

1. The Appellant is ██████████ Medicaid beneficiary who has been diagnosed with CHARGE syndrome. (Exhibit 1, page 8)
2. The Appellant has increased tone throughout all four extremities, is unable to sit independently, has poor trunk control, decreased head control, and requires suctioning. He requires maximal assistance for any type of sitting activity, including lateral and trunk support. (Exhibit 1, pages 27-28)
3. On ██████████ the Department received a prior approval-request for a pediatric mobility device with accessories for the Appellant listing a diagnosis of congenital malformation syndromes. (Exhibit 1, pages 2 and 4-6)
4. On ██████████, the Department sent a request for additional

information needed to process the prior authorization request. (Exhibit 1, page 25)

5. On ██████████, the prior authorization request was resubmitted with additional documentation. (Exhibit 1, page 2)
6. On ██████████, the Department denied the prior authorization request because strollers are not covered for under the age of three (3). (Exhibit 1, page 22)
7. On ██████████ the Michigan Administrative Hearing System received the hearing request filed on the Appellant's behalf. (Exhibit 1, page 3)

### **CONCLUSIONS OF LAW**

The Medical Assistance Program is established pursuant to Title XIX of the Social Security Act and is implemented by Title 42 of the Code of Federal Regulations (CFR). It is administered in accordance with state statute, the Social Welfare Act, the Administrative Code, and the State Plan under Title XIX of the Social Security Act Medical Assistance Program.

The Medicaid Provider Manual provides, in pertinent part, as follows:

#### **1.5 MEDICAL NECESSITY**

Medical devices are covered if they are the most cost-effective treatment available and meet the Standards of Coverage stated in the Coverage Conditions and Requirements Section of this chapter.

The medical record must contain sufficient documentation of the beneficiary's medical condition to substantiate the necessity for the type and quantity of items ordered and for the frequency of use or replacement. The information should include the beneficiary's diagnosis, medical condition, and other pertinent information including, but not limited to, duration of the condition, clinical course, prognosis, nature and extent of functional limitations, other therapeutic interventions and results, and past experience with related items. Neither a physician's order nor a certificate of medical necessity by itself provides sufficient documentation of medical necessity, even though it is signed by the treating physician. Information in the medical record must support the item's medical necessity and substantiate that the

medical device needed is the most appropriate economic alternative that meets MDCH standards of coverage.

Medical equipment may be determined to be medically necessary when all of the following apply:

- Within applicable federal and state laws, rules, regulations, and MDCH promulgated policies.
- Medically appropriate and necessary to treat a specific medical diagnosis or medical condition, or functional need, and is an integral part of the nursing facility daily plan of care or is required for the community residential setting.
- Within accepted medical standards; practice guidelines related to type, frequency, and duration of treatment; and within scope of current medical practice.
- Inappropriate to use a nonmedical item.
- The most cost effective treatment available.
- It is ordered by the treating physician, and clinical documentation from the medical record supports the medical necessity for the request (as described above) and substantiates the physician's order.
- It meets the standards of coverage published by MDCH.
- It meets the definition of Durable Medical Equipment (DME), as defined in the Program Overview section of this chapter.
- Its use meets FDA and manufacturer indications.

\* \* \*

## **2.47 WHEELCHAIRS, PEDIATRIC MOBILITY AND POSITIONING MEDICAL DEVICES, AND SEATING SYSTEMS**

### **2.47.A. DEFINITIONS**

#### **Wheelchair**

A wheelchair has special construction consisting of a frame and wheels with many different options and includes, but is not limited to, standard, light-weight, highstrength, powered, etc.

**Pediatric Mobility Product**

Pediatric mobility products are pediatric-sized mobility and positioning medical devices (as defined by PDAC) that have a special light-weight construction consisting of a frame and wheels/base with many different options. Pediatric mobility devices include pediatric wheelchairs, transport chairs, hi/low chairs with outdoor/indoor bases, and standing systems designed specifically for children with special needs. These products must meet the definition of Durable Medical Equipment (DME) (refer to the Program Overview section of this chapter) and are not available as a commercial product or for which a commercial product can be used as an economic alternative.

**Licensed/Certified Medical Professional**

A licensed/certified medical professional is defined as an occupational or physical therapist or a rehabilitation RN who has at least two years' experience in rehabilitation seating and is not an employee of the medical supplier.

Medicaid policy requires that assessments must be performed by a licensed/certified medical professional. A physical therapy assistant (PTA) or a certified occupational therapy assistant (COTA) may not perform any part of the assessment or evaluation and may not complete or sign the MSA-1656.

**Pediatric Subspecialist**

A pediatric subspecialist is a physician who is board-certified in a pediatric subspecialty (such as a physiatrist, neurologist, or orthopedist). A pediatrician is not considered a pediatric subspecialist relative to this policy.

**Institutional Residential Setting**

An institutional residential setting refers to a nursing facility, hospital long-term care unit, or county medical care facility.

**Community Residential Setting**

A community residential setting is defined as a non-institutional setting in the community, i.e., beneficiary's own home, Adult Foster Care (AFC), Assisted Living or Group Home.

## **2.47.B. STANDARDS OF COVERAGE**

\*\*\*

### **Pediatric Mobility Devices and Wheelchairs**

May be covered if **all** of the following are met for each type of device. For CSHCS beneficiaries, a medical referral from an appropriate board-certified pediatric subspecialist or an Office of Medical Affairs (OMA)-approved physician is required. MDCH also reserves the right to require a medical referral from an appropriate board-certified pediatric subspecialist for Medicaid beneficiaries.

#### **For manual pediatric wheelchairs:**

- Has a diagnosis/medical condition that indicates a lack of functional ambulatory status with or without an assistive medical device or has a willing and able caregiver to push the chair **and** the wheelchair is required in a community residential setting.
- Is required for long-term use (greater than 10 months).
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.
- Is designed to be transportable.
- Is the most economic alternative available to meet the beneficiary's mobility needs.

#### **For power wheelchairs:**

- Lacks ability to propel a manual wheelchair, or has a medical condition that would be compromised by propelling a manual wheelchair, for at least 60 feet over hard, smooth, or carpeted surfaces (this includes the need to rest at intervals).
- Is able to safely control the wheelchair through doorways and over thresholds up to 1½".
- Has a cognitive, functional level that is adequate for power wheelchair mobility.
- Has visual acuity that permits safe operation of a power mobility device.
- Must accommodate growth and adjustments for custom-fabricated seating systems a minimum of 3" in depth and 2" in width.
- For a three-wheeled power mobility device, has sufficient trunk control and balance.

**For transport mobility medical devices (e.g., strollers):**

- Is over three years of age or has a medical condition that cannot be accommodated by commercial products.
- Will be the primary mobility device due to inability to self-propel a manual wheelchair or operate a power wheelchair.
- Is required as a transport device when the primary wheelchair cannot be designed to be transportable.
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.
- Is the most economic alternative available to meet the beneficiary's mobility needs.
- Is required for use in the community residential setting.

**For pediatric standing systems with or without wheels:**

- Is able to utilize the product without being compromised medically or functionally.
- Has a plan of care that documents how the standing system will be used in the community residential setting.
- Documentation addresses economic alternatives, including dynamic vs. nondynamic factors.
- Other economic alternatives have been ineffective.
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.

For CSHCS beneficiaries, a medical referral from an appropriate board-certified pediatric subspecialist or an Office of Medical Affairs (OMA)-approved physician is required. MDCH also reserves the right to require a medical referral from an appropriate board-certified pediatric subspecialist for Medicaid beneficiaries.

**For pediatric hi/low chairs:**

- Positioning cannot be accommodated by use of other mobility devices or commercial products.
- Is required for independent transfers.
- All mobility products with interchangeable bases and seating systems have been ruled out as economic alternatives.
- Must accommodate growth and adjustments for seating systems a minimum of 3" in depth and 2" in width.

\*\*\*

**Wheelchair Accessories**

██████████  
**Docket No. 2011-14845 PA**  
**Decision and Order**

Reimbursement may be made for separate wheelchair accessories that have designated HCPCS codes. Separate reimbursement may be considered for specific wheelchair accessory codes when provided in conjunction with the purchase of a manual wheelchair, power wheelchair, or an addition to an existing wheelchair if:

- It is required to provide safety.
- It is required for appropriate positioning.
- It is the most economic alternative.

For additions to an existing wheelchair, the physician or the occupational or physical therapist must address the status/condition of the current wheelchair and include the brand, model, serial number, and age of the current wheelchair. If MDCH did not purchase the wheelchair being modified, all documentation requirements must be provided as if the request is for a new or initial wheelchair. Refer to the Non-Covered Items section of this chapter for information on accessories that are not covered.

*MDCH Medicaid Provider Manual,  
Medical Supplier Section  
October 1, 2010, pages 4-5 and 81-88.*

In the present case, the requested XPANDA Serval frame and accessories fall within the above cited definition of a pediatric mobility item. The Department's R.N. Analyst explained that pediatric mobility devices are typically not covered under the Medicaid policy for children under three (3) years old. However, such items can be covered if the documentation established a medical necessity, such as ventilator dependence or for a floppy baby. Even with the additional information submitted in ██████████, the documentation was not sufficient to support an approval of the requested pediatric mobility device for the Appellant. For example, additional documentation was needed regarding other economic alternatives such as commercial strollers that have been tried or ruled out, information regarding respirator compromise and orders for suctioning, the indicated pictures were not attached, information regarding how the CHARGE syndrome affects the Appellant, and to support the medical necessity for the positioning and stability the requested item would provide. (██████████ Testimony)

The adequacy of the documentation and Medicaid policy requirements were discussed in some detail during the hearing. The Appellant's ██████████ indicated that additional documentation exists to support the Appellant's request for the pediatric mobility device. The Department indicated they would expedite a review of the Appellant's prior authorization request upon receipt of the additional documentation.

Based on the documentation submitted through ██████████ the Appellant did not meet the Medicaid standards of coverage for a pediatric mobility device. This does not

**Docket No. 2011-14845 PA**  
**Decision and Order**

mean that the Appellant would not benefit from the requested device or that he is not deserving of it, but only that the Medicaid policy does not allow for coverage without additional documentation. Accordingly, the Department's denial must be upheld.

If they have not already done so, the Appellant's parents should submit the additional information to the Department for an expedited review of the Appellant's request for a pediatric mobility device.

**DECISION AND ORDER**

The Administrative Law Judge, based on the above findings of fact and conclusions of law, decides that the Department properly denied the Appellant's request for a pediatric mobility device with accessories.

**IT IS THEREFORE ORDERED** that:

The Department's decision is **AFFIRMED**.

---

Colleen Lack  
Administrative Law Judge  
for Olga Dazzo, Director  
Michigan Department of Community Health

cc:



Date Mailed: 4/28/2011

**\*\*\* NOTICE \*\*\***

The Michigan Administrative Hearing System may order a rehearing on either its own motion or at the request of a party within 30 days of the mailing date of this Decision and Order. The Michigan Administrative Hearing System will not order a rehearing on the Department's motion where the final decision or rehearing cannot be implemented within 90 days of the filing of the original request. The Appellant may appeal the Decision and Order to Circuit Court within 30 days of the receipt of the Decision and Order or, if a timely request for rehearing was made, within 30 days of the receipt of the rehearing decision.