

**STATE OF MICHIGAN
MICHIGAN ADMINISTRATIVE HEARING SYSTEM
FOR THE DEPARTMENT OF COMMUNITY HEALTH**
P.O. Box 30763, Lansing, MI 48909
(877) 833-0870; Fax: (517) 334-9505

IN THE MATTER OF:

██████████,

Appellant

Docket No. 2012-45550 PA
Case No. ██████████

DECISION AND ORDER

This matter is before the undersigned Administrative Law Judge pursuant to MCL 400.9 and 42 CFR 431.200 *et seq.*, upon the Appellant's request for a hearing.

After due notice, a hearing was held ██████████ ██████████ represented himself at hearing. His witness was ██████████

██████████ Appeals Coordinator for ██████████ Health Care of Michigan was present on behalf of the Medicaid Health Plan. ██████████ was the witness on behalf of the plan.

ISSUE

Did the MHP properly deny the Appellant's prior authorization request for an ultra lightweight manual wheelchair?

FINDINGS OF FACT

The Administrative Law Judge, based upon the competent, material and substantial evidence on the whole record, finds as material fact:

1. The Appellant is a ██████████ Medicaid beneficiary.
2. The Appellant is a below knee double amputee who requires a wheelchair for mobility at this time. ██████████
3. On or about ██████████ the Department received a prior approval request and accompanying documentation for an ultra light manual wheelchair ██████████
4. On ██████████ the MHP denied
5. On ██████████, the Department denied the prior authorization request because required documentation did not establish an ultra light

wheelchair was medically necessary.

6. On ██████████, the Michigan Administrative Hearing System received the hearing request.

CONCLUSIONS OF LAW

The Medical Assistance Program is established pursuant to Title XIX of the Social Security Act and is implemented by Title 42 of the Code of Federal Regulations (CFR). It is administered in accordance with state statute, the Social Welfare Act, the Administrative Code, and the State Plan under Title XIX of the Social Security Act Medical Assistance Program.

On May 30, 1997, the Department received approval from the Health Care Financing Administration, U.S. Department of Health and Human Services, allowing Michigan to restrict Medicaid beneficiaries' choice to obtain medical services only from specified Medicaid Health Plans.

The Respondent is one of those Medicaid Health Plans.

The covered services that the Contractor has available for enrollees must include, at a minimum, the covered services listed below (List omitted by Administrative Law Judge). *The Contractor may limit services to those which are medically necessary and appropriate, and which conform to professionally accepted standards of care. Contractors must operate consistent with all applicable Medicaid provider manuals and publications for coverage(s) and limitations. (Emphasis added by ALJ)* If new services are added to the Michigan Medicaid Program, or if services are expanded, eliminated, or otherwise changed, the Contractor must implement the changes consistent with State direction in accordance with the provisions of Contract Section 1-Z.

*Article II-G, Scope of Comprehensive Benefit Package.
MDCH contract (Contract) with the Medicaid Health Plans,
September 30, 2004.*

The major components of the Contractor's utilization management plan must encompass, at a minimum, the following:

- Written policies with review decision criteria and procedures that conform to managed health care industry standards and processes.
- A formal utilization review committee directed by the Contractor's medical director to oversee the utilization

review process.

- Sufficient resources to regularly review the effectiveness of the utilization review process and to make changes to the process as needed.
- An annual review and reporting of utilization review activities and outcomes/interventions from the review.

The Contractor must establish and use a written prior approval policy and procedure for utilization management purposes. The Contractor may not use such policies and procedures to avoid providing medically necessary services within the coverage(s) established under the Contract. The policy must ensure that the review criteria for authorization decisions are applied consistently and require that the reviewer consult with the requesting provider when appropriate. The policy must also require that utilization management decisions be made by a health care professional who has appropriate clinical expertise regarding the service under review.

Article II-P, Utilization Management, Contract,

September 30, 2004.

As stated in the Department-MHP contract language above, a MHP, “must operate consistent with all applicable Medicaid Provider Manuals and publications for coverages and limitations.” The pertinent section of the Michigan Medicaid Provider Manual (MPM) states:

The Medicaid Provider Manual provides, in pertinent part, as follows:

1.5 MEDICAL NECESSITY

Medical devices are covered if they are the most cost-effective treatment available and meet the Standards of Coverage stated in the Coverage Conditions and Requirements Section of this chapter.

The medical record must contain sufficient documentation of the beneficiary's medical condition to substantiate the necessity for the type and quantity of items ordered and for the frequency of use or replacement. The information should include the beneficiary's diagnosis, medical condition, and other pertinent information including, but not limited to, duration of the condition, clinical course, prognosis, nature and

extent of functional limitations, other therapeutic interventions and results, and past experience with related items. Neither a physician's order nor a certificate of medical necessity by itself provides sufficient documentation of medical necessity, even though it is signed by the treating physician. Information in the medical record must support the item's medical necessity and substantiate that the medical device needed is the most appropriate economic alternative that meets MDCH standards of coverage.

Medical equipment may be determined to be medically necessary when all of the following apply:

- Within applicable federal and state laws, rules, regulations, and MDCH promulgated policies.
- Medically appropriate and necessary to treat a specific medical diagnosis or medical condition, or functional need, and is an integral part of the nursing facility daily plan of care or is required for the community residential setting.
- Within accepted medical standards; practice guidelines related to type, frequency, and duration of treatment; and within scope of current medical practice.
- Inappropriate to use a nonmedical item.
- The most cost effective treatment available.
- It is ordered by the treating physician, and clinical documentation from the medical record supports the medical necessity for the request (as described above) and substantiates the physician's order.
- It meets the standards of coverage published by MDCH.
- It meets the definition of Durable Medical Equipment (DME), as defined in the Program Overview section of this chapter.
- Its use meets FDA and manufacturer indications.

* * *

1.7.G Age Parameters

Some services are only covered if the beneficiary is under the age of 21. For specifics regarding PA requirements and coverage, refer to the MDCH Medical Supplier Database on the MDCH website or the Coverage Conditions and Requirements Section of this chapter.

2.47 WHEELCHAIRS, PEDIATRIC MOBILITY AND POSITIONING MEDICAL DEVICES, AND SEATING SYSTEMS
2.47.A. DEFINITIONS

Wheelchair

A wheelchair has special construction consisting of a frame and wheels with many different options and includes, but is not limited to, standard, light-weight, high-strength, powered, etc.

Pediatric Mobility Product

Pediatric mobility products are pediatric-sized mobility and positioning medical devices (as defined by PDAC) that have a special light-weight construction consisting of a frame and wheels/base with many different options. Pediatric mobility devices include pediatric wheelchairs, transport chairs, hi/low chairs with outdoor/indoor bases, and standing systems designed specifically for children with special needs. These products must meet the definition of Durable Medical Equipment (DME) (refer to the Program Overview section of this chapter) and are not available as a commercial product or for which a commercial product can be used as an economic alternative.

Licensed/Certified Medical Professional

A licensed/certified medical professional is defined as an occupational or physical therapist or a rehabilitation RN who has at least two years' experience in rehabilitation seating and is not an employee of the medical supplier.

Medicaid policy requires that assessments must be performed by a licensed/certified medical professional. A physical therapy assistant (PTA) or a certified occupational therapy assistant (COTA) may not perform any part of the assessment or evaluation and may not complete or sign the MSA-1656.

Pediatric Subspecialist

A pediatric subspecialist is a physician who is board-certified in a pediatric subspecialty (such as a physiatrist, neurologist, or orthopedist). A pediatrician is not considered a pediatric subspecialist relative to this policy.

Institutional Residential Setting

An institutional residential setting refers to a nursing facility, hospital long-term care unit, or county medical care facility.

Community Residential Setting

A community residential setting is defined as a non-institutional setting in the community, i.e., beneficiary's own home, Adult Foster Care (AFC), Assisted Living or Group Home.

2.47.B. STANDARDS OF COVERAGE

Manual Wheelchair in Community Residential Setting

May be covered if **all** of the following are met:

- Has a diagnosis/medical condition that indicates a lack of functional ambulatory status and ambulates less than 150 feet within one minute with or without an assistive medical device.
- Must be able to regularly use the wheelchair throughout the day.
- Must be able to be positioned in the chair safely and without aggravating any medical condition or causing injury.
- Purchase of a wheelchair is required for long-term use (greater than 10 months).
- Must have a method to propel wheelchair, which may include:
 - Ability to self-propel for at least 60 feet over hard, smooth, or carpeted surfaces.
 - The beneficiary has a willing and able caregiver to push the chair if needed.

In addition:

A **standard hemi-wheelchair** may be covered when a lower seat to the floor is required.

A **standard light-weight wheelchair** *may be covered when the beneficiary is unable to propel a standard wheelchair due to decreased upper extremity strength or secondary to a medical condition that affects endurance.* (emphasis added by ALJ)

A **heavy-duty standard wheelchair** may be covered if the beneficiary's weight is more than 250 pounds but does not exceed 300 pounds.

An **extra heavy-duty standard wheelchair** is covered if the beneficiary's weight exceeds 300 pounds.

A **high-strength light-weight or ultra-light standard wheelchair** may be covered when required for a specific functional need.

A **back-up or secondary standard manual wheelchair** may be considered when:

- The beneficiary is primarily a power wheelchair user but needs a manual wheelchair to have access to the community or independent living.
- The beneficiary's medical condition requires a power wheelchair that cannot accommodate public transportation and, therefore, requires another transport device.***

Power Wheelchair or Power-Operated Vehicle (POV) in Both Community Residential and Institutional Residential Settings

May be covered if the beneficiary meets **all** of the following:

- Lacks ability to propel a manual wheelchair, or has a medical condition that would be compromised by propelling a manual wheelchair, for at least 60 feet over hard, smooth, or carpeted surfaces with or without rest intervals.
- Requires use of a wheelchair for at least four hours throughout the day.
- Is able to safely operate, control and maneuver the wheelchair in their environmental setting, including through doorways and over thresholds up to 1½", as appropriate.
- Has a cognitive, functional level that permits safe operation of a power mobility device with or without training.
- Has visual acuity that permits safe operation of a power mobility device.
- For a three-wheeled power mobility device, has sufficient trunk control and balance.

Custom-Fabricated Seating Systems

May be covered when required to assure safe mobility and functional positioning when the beneficiary has postural

deformities, contractions, tonal abnormalities, functional impairments, muscle weakness, pressure points, and seating balance difficulties. Maybe covered if all of the following are met:

- Two or more of the above clinical indications are documented in the medical record and in the mobility assessment, and the severity of the clinical indications cannot be accommodated by a standard seating system.
- Must accommodate growth and adjustments a minimum of 3" in depth and 2" in width.
- Must document the reason for the selection when the system cannot be used in more than one mobility device.
- Is the most economic alternative available to meet the beneficiary's mobility needs.

For CSHCS pediatric beneficiaries, a written order from an appropriate board-certified pediatric subspecialist or an Office of Medical Affairs (OMA)-approved physician is required. MDCH also reserves the right to require a written order from an appropriate board-certified pediatric subspecialist for Medicaid beneficiaries.

Manual or Power Recline Feature

May be covered when needed for relief of pressure on the seat and/or back, and **one** of the following applies:

- History of skin breakdown or current indication of imminent skin breakdown that cannot be controlled (or has not in the past) by less costly modalities (such as pressure relief cushions or manual pressure relief techniques).
- Has ability to tolerate a 90-135 degree range of motion at the hip, needed for reclining without triggering excessive abnormal tone.
- Is unable to tolerate an upright position in a wheelchair for long periods of time due to fatigue, shortness of breath, increased tone, or discomfort related to pressure that cannot be manually relieved.

A low shear recline back is covered when the beneficiary does not have the ability to reposition themselves in the wheelchair following reclining and the shearing would result in skin breakdown.

Manual Tilt-in-Space or Recline Function in Community Residential Setting

Manual tilt-in-space function allows the seat and back of the wheelchair to move as a unit, such that the angle of the back to the floor changes from approximately 90 degrees to 45 degrees or less. This change in position does not affect the hip-to-knee angle. The seat may be tilted manually.

The **tilt-in-space** function for a wheelchair may be covered if **one or more** of the following apply:

- History of skin breakdown or current indication of imminent skin breakdown that cannot be controlled (or has not in the past) by less costly modalities (such as pressure relief cushions or manual pressure relief techniques).
- Excessive extensor or flexor muscle tone that is exacerbated by change in hip angle and makes positioning in any upright chair ineffective. State reason why changing angles of position is medically necessary.
- Very low muscle tone that cannot maintain upright positioning against gravity, causing spinal anomalies.
- Beneficiary has knee contractures and a custom-molded seating system.

Coverage of both a **manual tilt-in-space and recline function** for a wheelchair requires medical need (such as high probability of the development of hip contractures) if only a tilt-in-space without recline is used. Also, there is a medical contraindication to using recline-only without the tilt-in-space function.

Power Tilt-in-Space or Recline Function in Both Community Residential and Institutional Residential Settings

Power tilt-in-space or recline function may be covered if **all** of the following exist:

- An existing medical condition results in the inability to reposition self without the use of a power tilt or recline mechanism.
- The frequency of repositioning is clinically indicated and is an integral part of the nursing facility plan of care.
- Beneficiary requires assistance to use a manual tilt-in-space or recline system, and there are regular periods of time that the beneficiary is without assistance.

- Beneficiary requires assistance to use a manual tilt-in-space or recline system, and is able to independently care for himself when provided a power tilt-in-space or recline modification.

For CSHCS pediatric beneficiaries, a written order from an appropriate board-certified pediatric subspecialist or an Office of Medical Affairs (OMA)-approved physician is required. MDCH also reserves the right to require a written order from an appropriate board-certified pediatric subspecialist for Medicaid beneficiaries.

Wheelchair Accessories

Reimbursement may be made for separate wheelchair accessories that have designated HCPCS codes. Separate reimbursement may be considered for specific wheelchair accessory codes when provided in conjunction with the purchase of a manual wheelchair, power wheelchair, or an addition to an existing wheelchair if:

- It is required to provide safety.
- It is required for appropriate positioning.
- It is the most economic alternative.

For additions to an existing wheelchair, the physician or the occupational or physical therapist must address the status/condition of the current wheelchair and include the brand, model, serial number, and age of the current wheelchair. If MDCH did not purchase the wheelchair being modified, all documentation requirements must be provided as if the request is for a new or initial wheelchair. Refer to the Non-Covered Items section of this chapter for information on accessories that are not covered.

MDCH Medicaid Provider Manual,
Medical Supplier Section
October 1, 2010.

It is an uncontested material fact the Appellant has established medical necessity for coverage of a manual wheelchair according to published standards and guidelines. The medical supplier has made a request for prior authorization of an ultra light manual wheelchair in this case. The coverage criteria for the specialized manual wheelchair is included in the policy set forth above. In order to meet the criteria for Medicaid coverage of an ultra light manual wheelchair, the Appellant must establish he has a specific functional need. In order to establish he meets coverage criteria for a standard light weight wheelchair the Appellant must submit documentation establishing he is

unable to propel a standard wheelchair due to decreased upper extremity strength or secondary to a medical condition that affects endurance.

The MHP reviewed all the documentation submitted in conjunction with the prior authorization request. The documentation submitted indicates the Appellant has 5/5 upper extremity strength and normal range of motion. The MHP thereafter denied the request for the ultra light weight manual wheelchair and sent an Adequate Negative Action Notice.

At hearing, the Appellant and his witness testified. The witness for the Appellant indicates he suffers muscle spasms and that she is unable to push a standard wheelchair. The Appellant's current weight at time of hearing was ██████████

This ALJ reviewed the request for prior authorization and accompanying documentation. There is no medical evidence the Appellant suffers from muscle spasms or is otherwise unable to propel a standard wheelchair. The ██████████ MAT evaluation submitted into the record indicates he has 5/5 upper extremity strength as well as normal range of motion. This ALJ must rely on the medical documentation submitted with the request for prior authorization to determine if the Appellant has established the requested durable medical equipment is medically necessary. In this instance, the documentation submitted does not support the Appellant's testimony. The Appellant's testimony is an inadequate basis to find he is unable to propel a standard wheelchair or that he has a functional need that is not met with a standard wheelchair. If the Appellant can meet the published criteria, he should request his medical providers to document his medical status and needs so that he has documentation that reflects his current medical status.

DECISION AND ORDER

The Administrative Law Judge, based on the above findings of fact and conclusions of law, decides that the Department properly denied the Appellant's request for a power wheelchair and accessories, including power standing and stand and drive functions based on the documentation it could be established was submitted to the Department.

IT IS THEREFORE ORDERED that:

The Department's decision is AFFIRMED.

Jennifer Isiogu
Administrative Law Judge
for Olga Dazzo, Director
Michigan Department of Community Health

Docket No. 2012-45550 PA
Decision and Order

cc:

Date Mailed: 7-11-2012

***** NOTICE *****

The Michigan Administrative Hearing System may order a rehearing on either its own motion or at the request of a party within 30 days of the mailing date of this Decision and Order. The Michigan Administrative Hearing System will not order a rehearing on the Department's motion where the final decision or rehearing cannot be implemented within 90 days of the filing of the original request. The Appellant may appeal the Decision and Order to Circuit Court within 30 days of the receipt of the Decision and Order or, if a timely request for rehearing was made, within 30 days of the receipt of the rehearing decision.